



ROCKFON® Soft®



ROCKFON® Sofit™

- Plain pre-painted white fleece
- Class C sound absorption lightweight tile
- Basic A-edge tile available in standard 600 X 600 dimension
- Easy to clean with a vacuum

PRODUCT DESCRIPTION

- Stone wool tile
- Visible side: plain pre-painted white fleece

ASSORTMENT

Edge detail	Module size (mm)	Weight (kg/m ²)	MS / MS easy access (mm)	Recommended installation System
 A15	600 x 600 x 12	1.6	50 / 100	ROCKFON® System T15 A™
	600 x 600 x 15	1.8	50 / 100	
 A24	600 x 600 x 12	1.6	50 / 100	ROCKFON® System T24 A™
	600 x 600 x 15	1.8	50 / 100	

MS = Minimum Suspension



OFFICE


RETAIL

PERFORMANCES



Sound absorption

α_w : up to 0,65 (Class C)



Thickness (mm) / Suspension (incl. tile - mm)	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	α_w	Absorption class	NRC
12 / 62	0.05	0.30	0.70	0.95	0.95	0.95	0.60	C	0.75
15 / 60	0.10	0.35	0.80	1.00	0.95	0.95	0.65	C	0.75



Reaction to fire

A1



Humidity and sag resistance

Up to 100% RH



Cleaning

• Vacuum



Hygiene

Stone wool provides no sustenance to microorganisms



Environment

Fully recyclable



Indoor environment

A selection of ROCKFON products have been awarded



Fire resistance

Local

We believe our acoustic stone wool and metal solutions for ceilings and walls are a fast and simple way to create beautiful, comfortable and safe spaces.

Easy to install and durable, they protect people from noise and the spread of fire. They are our way of making a constructive contribution towards a sustainable future.

Create and Protect is what drives us. It means putting people first, sharing success and maintaining trust.

It's our rock-solid promise to you. At ROCKFON, Create and Protect is what we do – and it's inspired by you.

ROCKFON

ul. Postępu 6
02-676 Warszawa, Polska

tel.: +48 22 843 38 10
+48 22 372 01 50
fax: +48 22 843 06 68

Dział Obsługi Klienta
tel.: +48 22 372 01 55
+48 22 372 01 66
www.rockfon.pl