

Declaration of Performance

Nr.: DOP – 3 – FLEECE TAPE - 02

| | | |
|----|---|---|
| 1. | Unique identification code of the product type: | P – 3 – FLEECE TAPE |
| 2. | Product: | FibaFuse® Light & Slim |
| 3. | Intended use of construction product: | Glass fibre joint tape for gypsum plasterboards |
| 4. | Manufacturer: | SAINT-GOBAIN ADFORS CZ, s.r.o. Sokolovská 106 570 01 Litomyšl The Czech Republic |
| 5. | System of assessment: | System 3 |
| 6. | Technical Assessment Body: | TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s. p. notified body 1020 |
| | European Technical Assessment: | ETA 09/0076 of 01.02.2023 |
| | European Assessment Document: | EAD 070002-00-0505: 2016 |

Declared performance:

| Essential characteristics | Performance | Harmonized technical specification |
|---|----------------------------|------------------------------------|
| Reaction to fire | NPD | EAD 070002-00-0505: 2016 |
| Tensile strength (standard conditions 23 ± 1 °C) | $\sigma_k = 3,1$ N/mm | |
| Resistance to dampness | $\sigma_k = 2,3$ N/mm; 26% | |


The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

In Litomyšl, date 02.02.2023


.....
Jana Kršková, Product Manager

CE mark:

| | |
|---|-------------------------------------|
|  | |
| 09 | |
| CZ00012661 | |
| Sokolovská 106, 570 01 Litomyšl, The Czech Republic | |
| Identification code: P – 3 – FLEECE TAPE | |
| Ref. nr. of DoP: DOP – 3 – FLEECE TAPE – 02 | |
| FibaFuse® Light & Slim | |
| Glass fibre joint tape for gypsum plasterboards | |
| Essential characteristics | Performance |
| Tensile strength (standard conditions 23 ± 1 °C) | $\sigma_k = 3,1 \text{ N/mm}$ |
| Resistance to dampness | $\sigma_k = 2,3 \text{ N/mm}; 26\%$ |
| European Assessment Document: | EAD 070002-00-0505 |
| European Technical Assessment: | ETA 09/0076 |
| Notified body: | 1020 |