

DONN® Perimeter Trims

Perimeter trims for standard perimeter solutions with mineral and wood ceilings

Key features

- Comprehensive range including angle trims, shadowline trims, channels and F-upstand trims

Application areas


- All ceilings - Perimeters

Physical data

- Material: steel
- Surface finish: baked polyester paint
- Colour: all products standard in DONN® White
- Other standard colours available on popular items

DONN® Perimeter Trims

L-trims




Item reference	Dimensions (mm)		Content/carton		Weight/carton kg	Cartons/pallet
	Length	Thickness	pcs	lm		
MIE20205W ^[1]	3000	0.475	40	120	22.1	60
MIE2121W ^{[1][2]}	3000	0.475	25	75	14.0	80
MIE1929W	3000	0.475	40	120	24.4	60
MIE2024W ^[2]	3000	0.475	40	120	23.5	60
MIE2024KB ^[A]	3000	0.475	40	120	26.1	60
MI2024W	3000	0.475	40	120	23.5	60
MI2424W	3000	0.475	20	60	11.3	60
MIE2430W	3000	0.475	30	90	26.6	60
MIE3030W ^{[1][2]}	3000	0.475	30	90	25.2	40
M3030X ^[3]	3000	0.600	20	60	19.5	60
MI31W	3000	1.000	12	36	18.0	50
MI4020W	3000	0.700	20	60	21.0	60
MI4030W	3000	0.700	20	60	24.0	60
MI5035W	3000	0.700	16	48	23.1	60

Available in [1] Matt Black [2] Metal 06 [3] galvanized. Special colours on request.
[A] Corrosion resistant version.

DONN® Perimeter Trims

W-trims




Item reference	Dimensions (mm)		Content/carton		Weight/carton kg	Cartons/ pallet
	Length	Thickness	pcs	lm		
MS10HD	3000	0.65	20	60	32.1	40
MS15W ^{[2][4]}	3000	0.475	30	90	23.2	48
MS14W	3000	0.700	15	45	19.5	56
MSG14W ^[B]	3000	0.700	15	45	19.0	48

Available in [2] Metal 06 [4] RAL 9010. Special colours on request.
[B] Slotted for air circulation.

DONN® Perimeter Trims

C-trims




Item reference	Dimensions (mm)		Content/carton		Weight/carton kg	Cartons/ pallet
	Length	Thickness	pcs	lm		
MUS8W	3000	0.475	50	150	35.5	24
MUS225W ^[4]	3000	0.475	30	90	27.5	24
MUS225WKB ^[A]	3000	0.475	30	90	28.0	24

Available in [4] RAL 9010. Special colours on request.
[A] Corrosion resistant version.

DONN® Perimeter Trims

F-trims




Item reference	Dimensions (mm)		Content/carton		Weight/carton kg	Cartons/ pallet
	Length	Thickness	pcs	lm		
MF10W	3000	0.475	20	60	25.6	24
MF8W ^[1]	3000	0.475	20	60	25.6	24

Available in [1] Matt Black. Special colours on request.

DONN® Perimeter Trims

Accessories



Item reference	Content/carton	Weight/carton	Description
	pcs	kg	
JS16 WH	100	1.0	Perimeter L Inner Corner 20 mm or 21 mm White
JS14 WH	100	1.0	Perimeter L Outer Corner 20 mm or 21 mm White
JS20 WH	100	3.0	Perimeter W Inner Corner 20x20x20 White
JS22 WH	100	3.0	Perimeter W Outer Corner 20x20x20 White
JS28 WH	100	3.0	Perimeter W Inner Corner 15x8x15 White
JS24 WH	100	3.0	Perimeter W Outer Corner 15x8x15 White

Characteristics	Detailed information	
Fire reaction		Euroclass A1 as per EN 13501-1
Indoor air quality		 A+
Cleanability		
Sustainability	 up to 25%	

All measurements in millimetres. All sizes are nominal.

Products may vary from country to country. Please contact your local sales representative.
For further information and legal notice, please visit our website.