

Page 1/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

Revision: 23.10.2020

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- Trade name: KEIM INNOTOP
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture Sol-silicate paint for interior use.
- · Uses advised against All other uses are not recommended.

#### · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

- Further information obtainable from: Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

#### **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH210 Safety data sheet available on request.

- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable
- **vPvB:** Not applicable

#### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• **Description:** Aqueous solution of amorphous silica, organically modified, fillers and pigments.

(Contd. on page 2)



Page 2/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

Revision: 23.10.2020

(Contd. of page 1)

#### Trade name: KEIM INNOTOP

#### **Dangerous components:**

titanium dioxide [in powder form containing 1 % or | 10-25% CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-0016

more of particles with aerodynamic diameter  $\leq$  10 µm] 🕭 Carc. 2, H351

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

· General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse mouth and throat well with water.
- Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Specila protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours. Cool endangered receptacles with water spray.

(Contd. on page 3)

DEN



Page 3/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

Revision: 23.10.2020

#### Trade name: KEIM INNOTOP

(Contd. of page 2)

#### **SECTION 6: Accidental release measures**

SECTION 7: Handling and storage         7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols.         Ensure good ventilation/exhaustion at the workplace. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.         Information about fire - and explosion protection: The product is not flammable. No special measures required.         7.2 Conditions for safe storage, including any incompatibilities         Storage:         Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles.         Information about storage in one common storage facility: Do not store together with acids.         Further information about storage conditions: Protect from frost. Protect from heat and direct sunlight.         Storage class: 12       (Contd. on page 4)	<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Avoid contact with skin and eyes. Particular danger of slipping on leaked/spilled product. Respect the protection rules (see section 7 a. 8). </li> <li>6.2 Environmental precautions:</li> <li>Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. Dilute with plenty of water. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. Flush rests with sufficient amount of water. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li></ul>
<ul> <li>The product is not flammable. No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage:</li> <li>Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles.</li> <li>Information about storage in one common storage facility: Do not store together with acids.</li> <li>Further information about storage conditions: Store in a cool place. Protect from frost. Protect from heat and direct sunlight.</li> <li>Storage class: 12</li> </ul>	<ul> <li>7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. Ensure good ventilation/exhaustion at the workplace. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.</li> </ul>
<ul> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage:</li> <li>Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles.</li> <li>Information about storage in one common storage facility: Do not store together with acids.</li> <li>Further information about storage conditions: Store in a cool place. Protect from frost. Protect from heat and direct sunlight.</li> <li>Storage class: 12 (Contd. on page 4)</li> </ul>	The product is not flammable.
	<ul> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage:</li> <li>Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles.</li> <li>Information about storage in one common storage facility: Do not store together with acids.</li> <li>Further information about storage conditions: Store in a cool place. Protect from frost. Protect from heat and direct sunlight.</li> <li>Storage class: 12</li> </ul>



Page 4/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

· 7.3 Specific end use(s) No further relevant information available.

Revision: 23.10.2020

#### Trade name: KEIM INNOTOP

(Contd. of page 3)

at the workplace: aining 1 % or more of particles with S, DFG aining 1 % or more of particles with fied) aining 1 % or more of particles with 4 mg/l (freshwater) 84 mg/l (marine water) 3 mg/l (invertebrates)
S, DFG aining 1 % or more of particles with fied) aining 1 % or more of particles with 4 mg/l (freshwater) 84 mg/l (marine water)
aining 1 % or more of particles with fied) aining 1 % or more of particles with 4 mg/l (freshwater) 84 mg/l (marine water)
fied) aining 1 % or more of particles with 4 mg/l (freshwater) 84 mg/l (marine water)
fied) aining 1 % or more of particles with 4 mg/l (freshwater) 84 mg/l (marine water)
fied) aining 1 % or more of particles with 4 mg/l (freshwater) 84 mg/l (marine water)
fied) aining 1 % or more of particles with 4 mg/l (freshwater) 84 mg/l (marine water)
aining 1 % or more of particles with 4 mg/l (freshwater) 84 mg/l (marine water)
4 mg/l (freshwater) 84 mg/l (marine water)
4 mg/l (freshwater) 84 mg/l (marine water)
84 mg/l (marine water)
<b>o</b> (
3 mg/l (invertebrates)
,
0 mg/kg sed dw (sediment fresh water)
mg/kg sed dw (sediment marine water)
mg/kg dw (soil)
mg/l (sewage treatment plant)
g were used as basis.
l. osol or mist is formed.
(Contd. on page
g



Page 5/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

Revision: 23.10.2020

#### Trade name: KEIM INNOTOP

	(Contd. of page
Recommended thickness of the mater	( 10
Butyl rubber, BR Recommended thickness of the mater	rial > 0.7 mm
The selection of the suitable gloves do of quality and varies from manufactur	oes not only depend on the material, but also on further mar rer to manufacturer. As the product is a preparation of seve /e material can not be calculated in advance and has therefo
Value for the permeation: level $\geq$ 6 (48)	30 min)
The determined penetration times acc	cording to EN 16523-1:2015 are not performed under practic aring time, which corresponds to 50% of the penetration tim
• Eye protection: Tightly sealed goggle	es
• Body protection: Protective work clothing	
After contact with skin wash thorough	ly with water and apply lotion.
	sure into the environment See Section 12 and 6.2
SECTION 9: Physical and che	emical properties
	nd chemical properties
General Information	nd chemical properties
General Information	
· General Information · Appearance:	nd chemical properties Pasty Different, according to colouring.
General Information Appearance: Form: Colour: Odour:	Pasty Different, according to colouring. Odourless
General Information Appearance: Form: Colour: Odour:	Pasty Different, according to colouring.
General Information Appearance: Form: Colour: Odour: Odour threshold:	Pasty Different, according to colouring. Odourless
General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition	Pasty Different, according to colouring. Odourless Not determined ~11*
<ul> <li>General Information</li> <li>Appearance: Form: Colour:</li> <li>Odour:</li> <li>Odour threshold:</li> <li>pH-value at 20 °C:</li> <li>Change in condition Melting point/freezing point:</li> </ul>	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined
<ul> <li>General Information</li> <li>Appearance: Form: Colour:</li> <li>Odour:</li> <li>Odour threshold:</li> <li>pH-value at 20 °C:</li> <li>Change in condition Melting point/freezing point: Initial boiling point and boiling ran</li> </ul>	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined
<ul> <li>General Information</li> <li>Appearance: Form: Colour:</li> <li>Odour:</li> <li>Odour threshold:</li> <li>pH-value at 20 °C:</li> <li>Change in condition Melting point/freezing point: Initial boiling point and boiling ran</li> <li>Flash point:</li> </ul>	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined nge: >100 °C
<ul> <li>General Information</li> <li>Appearance: Form: Colour:</li> <li>Odour:</li> <li>Odour threshold:</li> <li>pH-value at 20 °C:</li> <li>Change in condition Melting point/freezing point: Initial boiling point and boiling ran</li> <li>Flash point:</li> </ul>	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined nge: >100 °C Not applicable
<ul> <li>General Information</li> <li>Appearance: <ul> <li>Form:</li> <li>Colour:</li> <li>Odour:</li> <li>Odour threshold:</li> </ul> </li> <li>pH-value at 20 °C: <ul> <li>Change in condition</li> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling ran</li> </ul> </li> <li>Flash point: <ul> <li>Flammability (solid, gas):</li> </ul> </li> </ul>	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined nge: >100 °C Not applicable Not applicable
<ul> <li>General Information</li> <li>Appearance: <ul> <li>Form:</li> <li>Colour:</li> <li>Odour:</li> </ul> </li> <li>Odour threshold:</li> <li>pH-value at 20 °C:</li> <li>Change in condition <ul> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling rail</li> </ul> </li> <li>Flash point: <ul> <li>Flash point:</li> <li>Flammability (solid, gas):</li> <li>Ignition temperature:</li> </ul> </li> </ul>	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined nge: >100 °C Not applicable Not applicable Not determined
Colour: • Odour: • Odour threshold: • pH-value at 20 °C: • Change in condition Melting point/freezing point: Initial boiling point and boiling ran • Flash point: • Flammability (solid, gas): • Ignition temperature:	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined nge: >100 °C Not applicable Not applicable Not determined Not determined
<ul> <li>General Information</li> <li>Appearance: <ul> <li>Form:</li> <li>Colour:</li> <li>Odour:</li> <li>Odour threshold:</li> </ul> </li> <li>pH-value at 20 °C: <ul> <li>Change in condition</li> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling ration</li> <li>Flash point:</li> <li>Flammability (solid, gas):</li> <li>Ignition temperature:</li> <li>Decomposition temperature:</li> <li>Auto-ignition temperature:</li> <li>Explosive properties:</li> </ul> </li> </ul>	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined nge: >100 °C Not applicable Not applicable Not determined Not determined Product is not selfigniting.
<ul> <li>General Information</li> <li>Appearance: <ul> <li>Form:</li> <li>Colour:</li> <li>Odour threshold:</li> </ul> </li> <li>pH-value at 20 °C: <ul> <li>Change in condition</li> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling ran</li> </ul> </li> <li>Flash point: <ul> <li>Flammability (solid, gas):</li> <li>Ignition temperature:</li> <li>Decomposition temperature:</li> <li>Auto-ignition temperature:</li> <li>Explosive properties:</li> <li>Explosion limits: <ul> <li>Lower:</li> </ul> </li> </ul></li></ul>	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined nge: >100 °C Not applicable Not applicable Not determined Not determined Product is not selfigniting. Product does not present an explosion hazard.
General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling ran Flash point: Flammability (solid, gas): Ignition temperature: Decomposition temperature: Auto-ignition temperature: Explosive properties: Explosion limits:	Pasty Different, according to colouring. Odourless Not determined ~11* Not determined nge: >100 °C Not applicable Not applicable Not determined Not determined Product is not selfigniting. Product does not present an explosion hazard.



Page 6/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

Revision: 23.10.2020

#### **Trade name: KEIM INNOTOP**

	(Contd. of page S
· Vapour pressure at 20 °C:	~23 hPa
· Density at 20 °C:	1.4-1.7* g/cm <sup>3</sup>
· Relative density	Not determined
· Vapour density	Not applicable.
Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not applicable
· Viscosity:	
Dynamic at 20 °C:	2100-2900* mPas
Kinematic:	Not determined
9.2 Other information	* The values are for freshly produced material and ma change with the time.

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles v aerodynamic diameter $\leq$ 10 $\mu$ m]				
Oral	LD50	>5,000 mg/kg (rat) (OECD 425)		
Dermal	LD50	>10,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	>6.82 mg/l (rat)		
	LOAEL	0.05 mg/l /730d (rat)		
	NOAEL	24,000 mg/kg /versch (rat)		

- Primary irritant effect:
- Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.

(Contd. on page 7)



Page 7/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

Revision: 23.10.2020

#### Trade name: KEIM INNOTOP

- (Contd. of page 6)
- Serious eye damage/irritation In case of longer exposure, irritating effect is possible.
- · during inhalation: Irritant effect possible.
- during swallowing: Irritant effect possible
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):
- Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

• Aquatic toxicity:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10 µm]

EC 50/48h |>100 mg/l (daphnia) (OECD 202)

- LC 50/96 h >1,000 mg/l (fish)
- ErC50 >100 mg/l /72h (algae)
- NOEL 5,600 mg/l /72h (algae)
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

### • According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO2.

· General notes:

At present there are no ecotoxicological assessments.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable
- · vPvB: Not applicable

(Contd. on page 8)



Page 8/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

Revision: 23.10.2020

#### Trade name: KEIM INNOTOP

#### · 12.6 Other adverse effects No further relevant information available.

(Contd. of page 7)

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

#### · European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

#### · Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable
14.7 Transport in bulk according to An of Marpol and the IBC Code	nex II Not applicable
Transport/Additional information:	No dangerous good in sense of these transpo regulations.
UN "Model Regulation":	Void

(Contd. on page 9)



Page 9/10

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

Revision: 23.10.2020

#### Trade name: KEIM INNOTOP

(Contd. of page 8)

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008
   For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.

#### · National regulations:

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- · Product-Code/Giscode: BSW10
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H351 Suspected of causing cancer. Route of exposure: Inhalation.

- · Department issuing SDS: KEIMFARBEN Germany, Product safety department
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- TRGS: Technische Regeln für Gefährstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- AGW: Arbeitsplatzgrenzwert (Germany)
- EC10: Effective concentration at 10% mortality rate.
- EC50: Half maximal effective concentration.
- LC10: Lethal concentration at 10% mortality rate.
- NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

(Contd. on page 10)

DEN



Page 10/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.10.2020

Version number 13.0

Revision: 23.10.2020

(Contd. of page 9)

**Trade name: KEIM INNOTOP** 

Carc. 2: Carcinogenicity – Category 2 • \* Data compared to the previous version altered.

DEN -