



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **KEIM LS-PRO**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**  
Ready-to-use lightweight filler/surfacers for application onto wall and ceiling surfaces indoors.
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
KEIMFARBEN GMBH  
Keimstraße 16 / 86420 Diedorf  
Tel. +49 (0)821 4802-0  
Fax +49 (0)821 4802-210  
www.keim.com / info@keimfarben.de
- **Further information obtainable from:**  
Product safety department  
Telefon: 49(0)821/4802-138  
E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:**  
GBK GmbH Global Regulatory Compliance  
Emergency number: +49(0)6132/84463

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
EUH208 Contains reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
- **Note on EUH208:**  
These are preservatives.  
Avoid contact with the skin and eyes.
- **2.3 Other hazards**  
The Product contains silica (quartz). The processing (e.g. grinding) of the cured product may cause large amounts of dust.  
Prolonged and/or repeated inhalation of respirable crystalline silica dust may cause lung diseases, such as silicosis. The main symptoms of silicosis are cough and breathlessness. People suffering from silicosis have an increased risk of cancer. Exposure to dust should be measured and monitored.

(Contd. on page 2)

DEN



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

**Trade name: KEIM LS-PRO**

(Contd. of page 1)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

- **Description:** Polymer dispersion and limestone mixture in aqueous solution

- **Dangerous components:**

CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one ⚠ Acute Tox. 2, H330; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: ATE oral: 500 mg/kg ATE (4h) inhalative: 0.05 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.036 %	<0.036%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-XXXX	reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 ATE: ATE oral: 100 mg/kg ATE dermal: 50 mg/kg ATE (4h) inhalative: 0.05 mg/l Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.0015%

- **Additional information:**

This product contains <1 % respirable crystalline quartz.

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

- **General information:**

Seek medical treatment in case of complaints.

When seeing the doctor we suggest to present this safety data sheet.

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

**Trade name: KEIM LS-PRO**

(Contd. of page 2)

- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Do not use solvents or thinners.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse mouth and throat well with water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
carbon oxide (COx)
- **5.3 Advice for firefighters**
- **Special protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
In case of fire do not breathe smoke, fumes and vapours.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Respect the protection rules (see section 7 and 8).  
Ensure adequate ventilation  
Avoid contact with skin and eyes.
- **6.2 Environmental precautions:**  
Do not allow product to reach soil, sewage system or any water course.  
Follow local governmental rules and regulations.  
Dilute with plenty of water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Close drainages (risk of blocking)  
Danger of slipping!  
Dispose of the material collected according to regulations.  
Clear contaminated areas thoroughly.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.

(Contd. on page 4)



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

**Trade name: KEIM LS-PRO**

(Contd. of page 3)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep receptacles tightly sealed.  
See item 8 (8.2) for information about suitable protective equipment and technical precautions.  
Respect the protection rules.  
Ensure good ventilation/exhaustion at the workplace.  
Do not inhale dust.
- **Information about fire - and explosion protection:**  
The product is not flammable.  
No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Keep in the original containers in a cool and dry place.  
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Protect from heat and direct sunlight.  
Protect from frost.
- **Storage class:** 12
- **GISCode** BSW20 Beschichtungsstoffe, wasserbasiert
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
General dust limit (Germany): Long-term value:  $1.25 \cdot 10^{-2}$  mg / m<sup>3</sup> 2 (II);  
\* respirable fraction \*\* inhalable fraction  
The national general dust limit value must be observed.

**14808-60-7 Quartz (SiO<sub>2</sub>)**

BOELV (EU)	Long-term value: 0.1* mg/m <sup>3</sup> *respirable fraction
------------	---

MAK (Germany)	alveolengängige Fraktion
---------------	--------------------------

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

MAK (Germany)	vgl.Abschn.IIb und Xc
---------------	-----------------------

**55965-84-9 reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

MAK (Germany)	Long-term value: 0.2E mg/m <sup>3</sup> vgl.Abschn.Xc
---------------	--

(Contd. on page 5)

DEN



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

**Trade name: KEIM LS-PRO**

(Contd. of page 4)

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
  - Avoid contact with the eyes and skin.
  - Do not inhale dust / smoke / mist.
  - Wash hands before breaks and at the end of work.
  - Immediately remove all soiled and contaminated clothing.
- **Respiratory protection:**
  - Suitable respiratory protective device recommended.
  - Filter P2
- **Hand protection** Protective gloves
- **Material of gloves**
  - suitable material e.g.:
    - Nitrile rubber, NBR
  - Recommended thickness of the material:  $\geq 0.5$  mm
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
  - Value for the permeation: level  $\geq 6$  (480 min)
  - The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
  - The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection**
  - In a dusty environment wear protective goggles.
  - Tightly sealed goggles
- **Body protection:** Protective work clothing
- **Environmental exposure controls**
  - See Section 12 and 6.2
  - No further relevant information available.

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** White
- **Odour:** Odourless
- **Odour threshold:** Not determined
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** Not determined

(Contd. on page 6)

DEN



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

Trade name: KEIM LS-PRO

(Contd. of page 5)

· <b>Flammability</b>	Not applicable
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not applicable
· <b>Upper:</b>	Not applicable
· <b>Flash point:</b>	Not applicable
· <b>Auto-ignition temperature:</b>	Not determined
· <b>Decomposition temperature:</b>	Not determined
· <b>pH at 20 °C</b>	7-9*
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Miscible

**· Partition coefficient n-octanol/water (log value)**

2634-33-5	1,2-benzisothiazol-3(2H)-one	0,7
55965-84-9	reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	≤ 0,71

· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.1-1.2* g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined
· <b>Vapour density</b>	Not applicable.

· <b>9.2 Other information</b>	* The values are for freshly produced material and may change with the time.
· <b>Appearance:</b>	
· <b>Form:</b>	Pasty
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Change in condition</b>	
· <b>Softening point/range</b>	
· <b>Oxidising properties:</b>	Not applicable
· <b>Evaporation rate</b>	Not applicable

**· Information with regard to physical hazard classes**

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void

(Contd. on page 7)



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

Trade name: KEIM LS-PRO

(Contd. of page 6)

· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Acids
- **10.6 Hazardous decomposition products:**  
No hazardous decomposition products if stored and handled as prescribed.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

##### 2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral	ATE	500 mg/kg (ATE) Conversion value from Table 3.1.2 of the CLP Regulation
Inhalative	ATE (4h)	0.05 mg/l (ATE) (Dust / Fog) Conversion value from Table 3.1.2 of the CLP Regulation

##### 55965-84-9 reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Oral	ATE	100 mg/kg (ATE)
	LD50	53 mg/kg (rat) (Literatur)
Dermal	ATE	50 mg/kg (ATE)
	LD50	>141 mg/kg (rat) (OECD 402)

(Contd. on page 8)

DEN



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

**Trade name: KEIM LS-PRO**

(Contd. of page 7)

Inhalative	ATE (4h)	0.05 mg/l (ATE) (Dust / Fog) Conversion value from table 3.1.2 of the CLP regulation
	LC50/4 h	0.17 mg/l (rat) (Dust / Fog) OECD 403

- **Primary irritant effect:**
  - **Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.
  - **Serious eye damage/irritation**  
In case of longer exposure, slightly irritating effect to the eyes is possible.
  - **during inhalation:**  
By excess of "General Threshold Limit Value for Dust" is - comparable to inert dust - a mechanical overload of respiratory tracts possible.  
Irritant effect possible.
  - **during swallowing:** Irritant effect possible
  - **Respiratory or skin sensitisation**  
Contains BIT, CIT/MIT (3:1). May produce an allergic reaction.  
BIT = 1,2-benzisothiazol-3(2H)-one  
CIT = 5-chloro-2-methyl-2H-isothiazol-3-one  
MIT = 2-methylisothiazol-3(2H)-one  
Based on available data, the classification criteria are not met.
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
  - **Aspiration hazard** Based on available data, the classification criteria are not met.
  - **Other information (about experimental toxicology):**  
Experimental analysis are not available.  
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
  - **Subacute to chronic toxicity:**
  - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** Not applicable
  - **11.2 Information on other hazards**
- |  |
|--|
| · <b>Endocrine disrupting properties</b> |
| None of the ingredients is listed.       |

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.

· <b>Bioconcentration factor (BCF)</b>		
2634-33-5	1,2-benzisothiazol-3(2H)-one	6,95
55965-84-9	reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,16

(Contd. on page 9)

DEN





## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

**Trade name: KEIM LS-PRO**

(Contd. of page 8)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable
  - **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **AOX-indication:**

The product can take influence in small measure on the AOX-load of the waste water.
- **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**

According to our current data base the product does not consist of any heavy metals or substances of EU guideline NO. 2006/11/EC.
- **General notes:**

Do not allow product to reach ground water, water course or sewage system.  
At present there are no ecotoxicological assessments.  
The statements on ecotoxicology have been derived from the properties of the individual components.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations.
- **European waste catalogue**

08 02 99	wastes not otherwise specified
----------	--------------------------------
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary with cleansing agents.

### SECTION 14: Transport information

- |  |      |
|--|------|
| · <b>14.1 UN number or ID number</b><br>· <b>ADR, IMDG, IATA</b>                       | Void |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR, IMDG, IATA</b>                      | Void |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, IMDG, IATA</b><br>· <b>Class</b> | Void |

(Contd. on page 10)

DEN



**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

**Trade name: KEIM LS-PRO**

(Contd. of page 9)

· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable
· <b>Transport/Additional information:</b>	No dangerous good in sense of these transport regulations.
· <b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**  
For information on labelling please refer to section 2 of this document.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

**· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

**· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**· REGULATION (EU) 2019/1148****· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

Not relevant.

**· ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%.**

None of the ingredients is listed.

**· Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**· Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

(Contd. on page 11)

DEN



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

**Trade name: KEIM LS-PRO**

(Contd. of page 10)

- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Please note:**
  - TRGS 200 (Germany)
  - TRGS 500 (Germany)
  - TRGS 510 (Germany)
  - TRGS 900 (Germany)
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable
- **Product-Code/Giscode:** BSW20
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H301 Toxic if swallowed.
  - H302 Harmful if swallowed.
  - H310 Fatal in contact with skin.
  - H314 Causes severe skin burns and eye damage.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H318 Causes serious eye damage.
  - H319 Causes serious eye irritation.
  - H330 Fatal if inhaled.
  - H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects.
  - EUH071 Corrosive to the respiratory tract.
- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Version number of previous version:** 15.0
- **Abbreviations and acronyms:**
  - BOELV: Binding Occupational Exposure Limit Values
  - IOELV : Indicative Occupational Exposure Limit Values
  - OELV: Occupational Exposure Limit Value
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - SVHC: Substances of Very High Concern
  - vPvB: very Persistent and very Bioaccumulative
  - AGW: Arbeitsplatzgrenzwert (Germany)

(Contd. on page 12)



Page 12/12

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 04.03.2025

Version number 16.0 (replaces version 15.0)

Revision: 04.03.2025

**Trade name: KEIM LS-PRO**

(Contd. of page 11)

EC10: Effective concentration at 10% mortality rate.  
EC50: Half maximal effective concentration.  
LC10: Lethal concentration at 10% mortality rate.  
NOEC: No observed effect concentration.  
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)  
ATE: Acute toxicity estimate values  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 2: Acute toxicity – Category 2  
Skin Corr. 1C: Skin corrosion/irritation – Category 1C  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1A: Skin sensitisation – Category 1A  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· **\* Data compared to the previous version altered.**

DEN