

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 5.0 Revision: 16.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: KEIM STUCASOL

(ALL VARIANTS / ALLE VARIANTEN)

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture

Ready-to-use sol-silicate render for interior and exterior use.

- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIMFARBEN GMBH

Keimstraße 16 / 86420 Diedorf

Tel. +49 (0)821 4802-0

Fax +49 (0)821 4802-210

www.keim.com / info@keimfarben.de

· Further information obtainable from:

Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de

· 1.4 Emergency telephone number:

GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable

DEN -

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 5.0 Revision: 16.11.2020

Trade name: KEIM STUCASOL

(ALL VARIANTS / ALLE VARIANTEN)

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

CAS: 13463-67-7

• Description: Sol-silicate render on aqueous basis with inorganic fillers, additives and pigments.

· Dangerous components:

EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10-

XXXX

titanium dioxide [in powder form containing 1 % or >0.1-<2.5% more of particles with aerodynamic diameter < 10 µm]

& Carc. 2, H351

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Specila protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 5.0 Revision: 16.11.2020

Trade name: KEIM STUCASOL

(ALL VARIANTS / ALLE VARIANTEN)

(Contd. of page 2)

In case of fire do not breathe smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Respect the protection rules (see section 7 a. 8).

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Follow local governmental rules and regulations.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Avoid contact with skin and eyes.

Do not inhale aerosols.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Protect from heat and direct sunlight.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

DEN



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 5.0 Revision: 16.11.2020

Trade name: KEIM STUCASOL

(ALL VARIANTS / ALLE VARIANTEN)

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

•				
· Ingredients with limit values that require monitoring at the workplace:				
14808-60-7 Quartz (SiO2)				
MAK (Germany)	alveolengängige Fraktion			
13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with				
aerodynamic diameter ≤ 10 μm]				
	AGW (Germany) Long-term value: 1.25* 10** mg/m³			
	2(II);*alveolengängig**einatembar; AGS, DFG			

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

· Respiratory protection:

In unsufficient ventilated working areas and during spray-processing a breathing protection is necessary.

Filter P2

- · Protection of hands: Protective gloves
- · Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: level ≥ 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection:

Protective work clothing

After contact with skin wash thoroughly with water and apply lotion.

Limitation and supervision of exposure into the environment

See Section 12 and 6.2

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 5.0 Revision: 16.11.2020

Trade name: KEIM STUCASOL

(ALL VARIANTS / ALLE VARIANTEN)

No further relevant information available.

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· Form: Pasty

· **Colour:** Different, according to colouring.

· Odourless

· pH-value at 20 °C: ~11*

· Change in condition

Melting point/freezing point:
Initial boiling point and boiling range:
Not determined

· Flash point: Not applicable

· Flammability (solid, gas): Not applicable

· Ignition temperature: Not determined

Decomposition temperature: Not determined

· Auto-ignition temperature: Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not applicable
Upper: Not applicable
Oxidising properties: Not applicable

· Vapour pressure: Not determined.

Density at 20 °C:
Relative density
Vapour density
Evaporation rate
1.5-1.8* g/cm³
Not determined
Not applicable
Not applicable

· Solubility in / Miscibility with

· water: Miscible

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined

* The values are for freshly produced material and may change with the time.

- DEN

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 5.0 Revision: 16.11.2020

Trade name: KEIM STUCASOL

(ALL VARIANTS / ALLE VARIANTEN)

(Contd. of page 5)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal conditions of storage and use.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions With acids evolution of heat and CO2 formation.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μ m]

acrea/ = 10 [a]				
Inhalative	ATE mix (4h)	>5 mg/l (inhalation)		
	ATE mix	>2,000 mg/kg (dermal)		
		>2,000 mg/kg (orally)		
	NOAEL	3,500 mg/kg /Oral (rat) (90d)		

- · Primary irritant effect:
- Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- · Serious eye damage/irritation In case of longer exposure, irritating effect is possible.
- · during inhalation: Irritant effect possible.
- during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

Repeated dose toxicity

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Inhalative NOAEC 10 mg/m³ (rat) (90d)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 5.0 Revision: 16.11.2020

Trade name: KEIM STUCASOL

(ALL VARIANTS / ALLE VARIANTEN)

(Contd. of page 6)

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:					
13463-	13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]				
NOEC	≥100,000 mg/kg (sediment fresh water)				
EC50	>100 mg/kg (freshwater alga) (OECD 201)				
EC 50	>10,000 mg/l (algae) (ISO 10253)				
LC 50	>10,000 mg/l (marine fish) (OECD 203)				
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)				
	>1,000 mg/l (daphnia) (OECD 202)				

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · AOX-indication:

According to our standard of knowledge the product does not contain any organic bounded halogen. The product has no influence on the waste water's AOX-value.

According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO2.

General notes:

The statements on ecotoxicology have been derived from the properties of the individual components.

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.

European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 5.0 Revision: 16.11.2020

Trade name: KEIM STUCASOL

(ALL VARIANTS / ALLE VARIANTEN)

(Contd. of page 7)

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information	on
· 14.1 UN-Number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
· 14.7 Transport in bulk according to Anno of Marpol and the IBC Code	ex II Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 5.0 Revision: 16.11.2020

Trade name: KEIM STUCASOL

(ALL VARIANTS / ALLE VARIANTEN)

(Contd. of page 8)

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- Product-Code/Giscode: BSW10
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H351 Suspected of causing cancer.

- · Department issuing SDS: KEIMFARBEN Germany, Product safety department
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

AGW: Arbeitsplatzgrenzwert (Germany)

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Carc. 2: Carcinogenicity - Category 2

* * Data compared to the previous version altered.

DEN